



RATCHETING COMBINATION SPANNER SET RS TT1 11 PIECES

- 72 teeth ratchet spanners giving a 5° increment between clicks
- Hip grip on the ring end, turn spanner over to change direction
- Chrome vanadium satin finish
- Designed and manufactured to DIN ISO 1711-1 and DIN 3113A
- Organised in a tool tray module size 1 (TT1)

Metric Ratcheting Combination 11 Piece Spanner Set TT Tray

General information

Country of origin: Taiwan
Barcode: 5020385043862
Tarriff code Europe: 8204110000
ECCN US: EAR99
ETIM: EC002209
UNSPSC: 27111705

Dimensions

Net weight (g): 1513
Width (mm): 142
Depth (mm): 265
Height (mm): 50

Attributes

Product type: Spanners & Wrench Sets
Certificates: N/A
Number of pieces: 11
Spanner type: Regular
Ratcheting: Yes
Unit of measurement: Metric
Inlay material: PS
Type of set: TT1

Features



Technical changes and errors may occur. 01-08-2024 19:54



DESIGNED IN SWEDEN

TengTools is a Swedish company present in more than 30 markets worldwide, and offers hand tools in smart storage solutions for demanding professionals within the automotive, maintenance and engineering sectors, as well as motor sport enthusiasts who aspire to use the same tools as top mechanics across the globe.




Sandbergsvägen 3
 441 39 Alingsås, Sweden

ADDITIONAL IMAGES



WWW.TENGOOLS.COM



LIST OF CONTENTS



TT6511RS Ratcheting Combination Spanner Set RS TT1 11 Pieces

- 600508RS** Ratcheting Combination Spanner Metric RS 8 mm
- 600510RS** Ratcheting Combination Spanner Metric RS 10 mm
- 600511RS** Ratcheting Combination Spanner Metric RS 11 mm
- 600512RS** Ratcheting Combination Spanner Metric RS 12 mm
- 600513RS** Ratcheting Combination Spanner Metric RS 13 mm
- 600514RS** Ratcheting Combination Spanner Metric RS 14 mm
- 600515RS** Ratcheting Combination Spanner Metric RS 15 mm
- 600516RS** Ratcheting Combination Spanner Metric RS 16 mm
- 600517RS** Ratcheting Combination Spanner Metric RS 17 mm
- 600518RS** Ratcheting Combination Spanner Metric RS 18 mm
- 600519RS** Ratcheting Combination Spanner Metric RS 19 mm